# MIDJ



# Guapa DNA M CU Armchair


design Beatriz Sempere, 2014

Guapa rocking chair with high backrest and structure available in lacquered metal or chrome. Shell in hide characterized by a mesh effect.

# **Colors and Materials**

#### Structure







White steel





Ash grey metal

Light grey steel



Sand steel

Brown steel











Grafite metal











**Bulgaro red metal** 





Cherry red metal



Ocean blue steel





**Ocher steel** 





Sage green metal



Facepowder pink metal

Chrome

White pearl metal



Blue turquoise metal Blue sapphire metal

#### Coating






Tuscan hide 6 Colors

13 Colors

#### Dimensions



### **Volumetric Details**

Weight 15 Kg Volume 0.65 mc Package 1

## **Materials Certifications**

#### Dark green metal

The technologies used in the previous phase of powder coating play a fundamental role in the final result of the processing. They are in fact essential to increase adherence paint on the metal surface and then guarantee its duration over time. The metal frames, following a total cleaning of the surface, pass through chemical conversion processes, creating a compact base that allows for better adhesion of the subsequent treatment. In the last phase the object subjected to the powder coating process is placed in a polymerization oven, going to form an adherent and extremely tight layer durable. This particular paint job is ideal for outdoor use.

To clean the surface, use a damp microfiber cloth with neutral soap or specific metal cleaning products. Avoid hitting or rubbing the surface with sharp objects. Do not use scourers or other abrasive materials, since they would inevitably scratch the surface. Do not leave rusty iron objects on the surface for too long.

These surface treatments are not suitable for outdoor use, but they guarantee excellent resistance to frequent use, dirt and dust.

### **Materials Certifications**

White pearl metal

The technologies used in the previous phase of powder coating play a fundamental role in the final result of the processing. They are in fact essential to increase adherence paint on the metal surface and then guarantee its duration over time. The metal frames, following a total cleaning of the surface, pass through chemical conversion processes, creating a compact base that allows for better adhesion of the subsequent treatment. In the last phase the object subjected to the powder coating process is placed in a polymerization oven, going to form an adherent and extremely tight layer durable. This particular paint job is ideal for outdoor use.

To clean the surface, use a damp microfiber cloth with neutral soap or specific metal cleaning products. Avoid hitting or rubbing the surface with sharp objects. Do not use scourers or other abrasive materials,